

# Critical Factors of Effectiveness of Environmental Management Plan (EMP) of Oil and Gas Projects in the Niger Delta Region of Nigeria

Stephen Hemba<sup>1\*</sup>, Abdullahi Bala Usman<sup>2</sup>

<sup>1,2</sup>Department of Geography, Federal University, Birnin Kebbi, Kebbi State, Nigeria

**Abstract**—Oil and gas production activities have been going on in the Niger Delta region of Nigeria since 1958. The mandatory use of EMP to mitigate the impacts on the environment has not been effective. Researchers have not investigated to a deeper extent the key elements that will enhance the effectiveness of EMP's of the oil and gas projects. This makes it difficult to tailor impactful policies and resources to turn things around and achieve environmental sustainability in the context of oil and gas production activities in the Niger Delta region. This study determined critical factors of effectiveness of EMP in oil and gas projects in the region. The Study involved administration of a semi structured questionnaire on 384 respondents comprising the proponent, regulator and community. The data was analysed using Principal Component Analysis (PCA). The PCA identified a) Collective address of impacts by all stakeholders; b) Commitment; c) Importance of impact data; d) Monitoring and Evaluation and e) Information sharing as critical factors of effectiveness of EMP in the region.

**Index Terms**—Sustainability, Effectiveness, Environment, oil and gas, Environmental Management Plan (EMP), Niger Delta, Mitigation.

## 1. Introduction

The Niger Delta region of Nigeria which covers a land mass of over 70,000km<sup>2</sup> with about 800 oil – producing communities (Osuji and Ojinnaka, 2004; Okurebia and Daniel, 2014) is vulnerable to environmental impacts of oil production activities. Researchers have reported the existence of significant environmental impacts of the activities of oil production in the Niger Delta environment including Odukoya (2006), Ejibunu (2007), Snapps and Aghalino (2010), UNEP (2011), Kadafa (2012), Oshwofasa, Anuta and Aiyedogbon (2012), Iniaghe, Tesi and Iniaghe (2013), Raji and Abejide (2013) and Boris (2015). Raji and Abejide (2013) maintained that Niger Delta is the most oil impacted region of the world. The extent of the degradation has been blamed for the persistent violent and social conflict in the region. However, oil and gas projects are approved on the condition to implement Environmental Management Plan (EMP) to mitigate the adverse impacts and to optimise the positive impacts towards sustainability of the host environment. EMPs are a detached from EIA reports, and used for this purpose. It has been held that,

implementation of EMPs during project execution supports the achievement of environmental sustainability and enhance EIA outcome (SPDC 2004; Cashmore, Gwilliam, Morgan, Cobb and Bond, 2004; Noble and Storey, 2005; Harmer, 2005). Other researchers such as Ogunba (2004), Ramjeawon and Beedassy (2004), Paliwal (2006), Kolhoff, Runhaar and Driessen (2009), Cashmore, Richardson, Hilding-Ryedvik and Emmelin (2010) and Shakil and Ananya (2015) have supported that a weak implementation of EMP reduces the ability of EIA to promote environmental sustainability. The practice of sustainability preserves resources across generations and promote environmental democracy. This has been a global concern expressed in the adoption of 17 priority goals by the UN member states in September, 2015 as Sustainable Development Goals (SDG). The potential of EIA as an environmental management tool to promote sustainable development and support climate change adaptation in project planning has also received attention (Jiricka, Formayer, Schmidt, Völler, Leitner, Fischer and Wachter, 2016). Thus, ensuring the effectiveness of EMP is critical to promote the achievement of sustainable Development Goals (SDG) and to tackle global environmental challenges. This calls for a continuous and in-depth review of the EIA and indeed EMP implementation while particularly identifying the specific factors that will improve effectiveness at international, regional or sub regional scale.

## 2. Statement of Problem

The reports that the negative impacts of oil and gas production has remained high in the producing environment of the Niger Delta directly suggest a failure on the intentions of EIA and indeed EMPs implemented in oil production projects in the region. This calls for the constant review of EIA processes in general while particularly determining important elements that can improve its effectiveness. This is possibly an essential foundation to the achievement of environmental sustainability in the region. Improved EMP implementation is capable of mitigating the crises associated with oil and gas production activities that have been linked to environmental degradation by addressing both environmental, social and economic concerns. Despite the strategic importance of

\*Corresponding author: [stephenhemba@gmail.com](mailto:stephenhemba@gmail.com)

improving effectiveness EMP in the region, researchers have not investigated, to a deeper extent, the factors that will enhance the effectiveness of EMP's of the oil and gas projects. This makes it difficult to tailor impactful policies and resources towards the effectiveness EMP and improve environmental sustainability in the context of oil and gas production activities in the Niger Delta region. Thus, this study was designed to determine critical factors of effectiveness of EMP in oil and gas projects in the Niger Delta.

### 3. Study Area




Fig. 1. Niger delta region of Nigeria with map of Niger insert

The Niger Delta refers to the geopolitical area comprising nine states recognised by Nigerian law as oil producing states (NNDC Establishment Act 2000; Iniaghe *et al.*, 2013; Boris, 2015). It is located between Latitudes 4° and 8° North of the Equator and Longitudes 5° and 9° East of the Greenwich Meridian (figure 1). The study area's geology is made up of a vast sedimentary basin occurring at the natural delta of the Niger River. The plain is believed to have been formed during the Holocene of the quaternary period by the accumulation of sedimentary deposits. Sedimentary alluvium dominates the geology of this area. The area is generally lowland characterised by tidal flats and coastal beaches, beach ridge barriers and flood plains (Odjugo, 2011). The land surface is generally under 20m above sea level. The floodplain has silt and clay foundation and highly susceptible to perennial inundation by river floods. The study area has much surface water and a high rainfall, of between 2000mm and 4000mm (Odjugo, 2011). The entire topography of the area is characterised by a maze of effluents, rivers, lakes, creeks, lagoons and swamps crisscrossing the low lying plains in varying dimensions (Youdeowei, and Nwankwoala; 2013). The study area experiences Equatorial type of climate -Koppen's Af classification (Odjugo 2011). The mean monthly temperature is between 25°C to 28°C. The daily high temperatures are moderated by regular land and sea breezes due to the influence of the Atlantic Ocean. Annual rainfalls are heavy, between 2000mm to 4000mm with less distinct double mean rainfall scheme. Rainfalls are accompanied by lightening, thunder and torrential showers. It has a little dry season between December and February. The vegetation of the study area is composed of four ecological zones. These include: coastal barrier island

forests mangrove forests, freshwater swamp forests and lowland rain forests. These different vegetation types are associated with the various zones in the area, and they constitute part of the complex Niger Delta ecosystems. The fresh water swamp forests in the study area constitute the home of biodiversity some considered to be threatened and even endangered (Hemba, 2012 and Hemba, Iortyom and Adelabu, 2017). Some of the Niger Delta plants including *Terminalia ivorensis*, *Piper guineensis*, *Irvingia gabonensis*, *Gongronema latifolium*, *Covee eketensis*, *Sagoclotis gabonensis* and *Eulophia carispholia* have been identified by Phil-Eze and Okoro (2009) as important for conservation efforts. The soil type of the study area is majorly made up of fluvial and marine sediments, shallow and poorly drained. The soils are organic in nature and essentially sandy in texture. Some consist of mud mixed with decayed organic matter. The population of Bayelsa state in the 2006 population Census is 1,704,515 while that of Rivers State is 5,185,400 (NPC, 2006). This population comprise Ijaws, Ogonis, Ikwerres, Urhobos and amongst other tribes (Owede, 2005). The Socio-Economic activities in the study area cut across administrative, agricultural, commercial, industrial and educational sectors. The administrative activities are mostly paid employment under the public and private sectors. Public employment is mostly in the Ministries, Departments and Agencies (MDA) of government. In the industrial sector activities involves a range of large, medium and small scale industries. In the agricultural sector, the population is principally involved in subsistence crop farming (Efik 2011). They are characterised by small sized farm holdings. Major crops cultivated are cassava yam and maize. A few other families are involved in livestock like goats which are left to roam about. This environment is very sensitive and delicate. Its degradation would cause significant impacts on the socio-cultural and economic life of the inhabitants.

### 4. Materials and Methods

The survey method was used to acquire primary data to pursue the objective of this study. Survey involved EMP stakeholders who were identified through review of relevant literature. The use of stakeholders as a source of information is common in this type of study (see also Nieslony, 2004; Okafor, 2011; and Chanchitpricha and Bond, 2013). A stakeholder is defined by De Groot, Stuij, Finlayson and Davidson (2006) as individuals, organisation or a group of individuals who have interest in a concern (e.g. project activities, development programmes) or particular resources. In this study the proponents are the oil and gas multinational companies who initiate oil and gas production projects in the Niger Delta. The regulator refers to the departments, ministries and agencies in charge of overseeing the implementation and are represented by staff or officials who work in such establishments. The community comprises of academic, project host community, consultants and NGOs, these are used in similar researches by, Isah (2012), Fischer and Nadeem (2013) and Bennett *et al.* (2015).

## 5. Data Acquisition and Sources

A review of various studies on EIA follow-up and EMP was conducted to identify important practices and factors that contribute to the achievement of suitability goal of EIA. These, were combined to construct a semi- structured questionnaire comprising of the socio-demographic characteristics of the respondents and a set of variables on a 5 point Likert scale cutting across important practices, their effectiveness and adequacy in achieving the goals of EMP off oil and gas projects. The questionnaire was administered between July and November 2017 on 384 respondents comprising of the government agencies, oil company officials, academics/consultants, NGOs and members of project communities who formed the respondents. The questionnaire distribution was based on non proportional method across the respondents (Stakeholders). The non proportional distribution of questionnaire is similarly reported by other researchers in studies similar to this (Isah, 2004). The non proportional distribution of the questionnaire helps in the targeting respondent sub groups within a population of study that may be considered of high interest or who may not be well covered if not given such prior consideration (Booth, 1991). Nieslony (2004 p.11) adds that it helps to 'avoid "biased" answers due to the institutional or political background of the respondents'. In that regard, since the sustainability of the environment of the Niger Delta is the focus of this study, the community which comprise the various stakeholders described earlier and that may be affected directly by the impact of oil production activities were considered of primary interest. It was also to take care of the possibility of biased response by oil companies and government agencies that are directly responsible for implementation and supervision of EMP implementation respectively and who may likely be influenced by their background while responding to the questionnaire (Nieslony 2004). Thus the questionnaire distribution took this into

consideration. Hence the questionnaire was distributed accordingly in the percentages as: proponents 20% regulator 10% and community 70% (host community 50%, academic 25% and NGOs 25%). The snow ball method which involves identification of initial respondents within a particular category who then suggest or recommend others within the category for contacting was used to identify individual respondents and the questionnaire was administered on them. Responses were first coded in SPSS and converted to frequencies. The Principal Component Analysis was performed on the data. The PCA is useful in reducing the dimension of data by determining the correlation between responses especially when dealing with many responses or variables in a given data set (Rea, 2016 and Pasini, 2017). It helps in identifying pattern in data set by analysing its internal dimensions. In the present case, the pattern of responses were analysed in order to reduce the number of responses to generate a small set of underline variables of the original responses (Rea 2016). The Principal Component Analysis is applied in research across many disciplines including the field of environmental management and geography (Anyadike, 2009; Rea, 2016; Pisini, 20017).

## 6. Results

Socio-Economic Characteristics of respondents. As shown in Table 1 majority (96.6%) of the respondents were civil/public servants (workers in the formal sector) while students and apprentice account for the 3.4%. The table also show a high level of education with majority acquiring tertiary education while only 28% had no formal education. This gives a background of a suitable respondents for the study, it implies that, majority are likely to be informed about what is happening. Tertiary education is also an indication of capacity of critical reasoning over the subject matter. As also indicated in their occupation, majority in the Civil/Public Service explains their background as government staff, consultants, oil company

Table 1  
Socio-Economic characteristics of respondents

| What is your occupation                   |                               | Frequency  | Percent      | Valid Percent | Cumulative Percent |
|-------------------------------------------|-------------------------------|------------|--------------|---------------|--------------------|
| Valid                                     | Civil servant/Public servants | 371        | 96.6         | 96.6          | 96.6               |
|                                           | Student/apprentice            | 13         | 3.4          | 3.4           | 100.0              |
|                                           | <b>Total</b>                  | <b>384</b> | <b>100.0</b> | <b>100.0</b>  |                    |
| What is your level of education           |                               | Frequency  | Percent      | Valid Percent | Cumulative Percent |
| Valid                                     | Tertiary school               | 276        | 71.9         | 71.9          | 71.9               |
|                                           | No formal education           | 108        | 28.1         | 28.1          | 100.0              |
|                                           | <b>Total</b>                  | <b>384</b> | <b>100.0</b> | <b>100.0</b>  |                    |
| How long have you lived in this community |                               | Frequency  | Percent      | Valid Percent | Cumulative Percent |
|                                           | 1-5                           | 20         | 7.3          | 7.3           | 7.3                |
|                                           | 6-10                          | 26         | 9.9          | 9.9           | 17.2               |
|                                           | 11-15                         | 131        | 48.7         | 48.7          | 65.9               |
|                                           | 16-20                         | 92         | 34.1         | 34.1          | 100.0              |
|                                           | <b>Total</b>                  | <b>269</b> | <b>100.0</b> | <b>100.0</b>  |                    |
| Status in the community                   |                               | Frequency  | Percent      | Valid Percent | Cumulative Percent |
|                                           | Union leader                  | 18         | 6.5          | 6.5           | 6.5                |
|                                           | Family head                   | 234        | 87.0         | 87.0          | 93.5               |
|                                           | Immigrant/settler             | 9          | 3.4          | 3.4           | 96.9               |
|                                           | others                        | 8          | 3.1          | 3.1           | 100                |
|                                           | <b>Total</b>                  | <b>269</b> | <b>100.0</b> | <b>100.0</b>  |                    |

(Source: Field work, 2017)

workers and members of the civil society who constitute majority of the stakeholders in the implementation of environmental management plan. The socio-economic characteristics of the respondents give a background of well suited respondents for this study. The familiarity of respondents and their capacity to understand and have critical reasoning on a subject of interest is influenced by their characteristics (Isah, 2012). Further, their familiarity with the Niger Delta environment as indicated by period of residence in the region is a positive indication of their understanding of the issues their suitability as respondents to the study. Majority (48.7%) have lived in the communities between 11-15 years. while 34.1% have lived between 16-20 years, 7.3% have lived between 6-10 years and those who lived between 1- 5 constituted only 9.7% of the respondents. These members of the community as indicated by long duration of resident in the environment, are likely to have adequate experience in the communities to be able to understand what may have been happening in the community with regards to EMP implementation in the oil and gas production activities. Interestingly, EMPs were introduced in the study area in 1996, which is barely 21 years at the time of this survey. This means that majority of the respondents are likely to have witnessed EMP implementation from inception. On their status as members of their community which is very critical in their involvement with issues in the community including participation in the EMP process, in the community it can be deduced as shown in Table 1 that the majority of the respondents (87%) are family heads. Others; Union Leaders (6.5%), immigrant/settlers (3.4%) and 3.1% represent other type of status not considered in the study. The status of the respondents within the community gives them a good standing in terms of access to information within the community. House heads are known as representatives of individual households and a very important source of community information for

researchers in the social science, many previous studies in the Niger Delta have relied on them for reliable information (Okafor, 2011; Singh, Kushwah, Singh and Daipuria, opinion leaders and representatives of members of their union. In such regards, they are likely the same persons to be involved with stakeholder's consultation during EIA process and EMP implementation. This makes them suitable respondents for this study since they are very likely to have a fair knowledge of EMP and its implementation.

#### *A. Awareness and Participation in the Implementation of EMP*

As shown in Table 2 all the respondents indicated awareness on the need to implement EMP in oil and gas projects in the region. A majority (73.2) were aware that oil and gas companies are responsible for the implementation of EMP in oil and gas projects. Other (26.8%) which are a minority expect that government should be responsible in the implementation of EMP in oil and gas. Although government is directly involved in the monitoring which is supervisorial role, the direct implementation is expected to be carried out by the oil and Gas Company which is the proponent as provided in the guidelines. This standard practice is similar with what is obtainable in other EIA jurisdictions. Based on this response, it could be concluded reasonably that the respondents are fairly aware of the implementation of EMP of the projects in oil and gas in the region and that they are suitable respondents for the study. The association of the respondents in EMP implementation showed that majority of the respondents (57.3%) have been involved with EMP implementation for above 6 years duration. Others (17.7%) have been involved with EMP implementation between 4-6 years and a few others (15.1%) have been involved with EMP implementation between 2-4 years. The remaining small minority of 9.9% have been involved with EMP implementation for less than 2 years. The duration of their

Table 2  
Respondent's awareness and participation in the implementation of EMP

| Awareness that EMP should be implemented on oil and gas projects                            |                                                 |           |         |               |
|---------------------------------------------------------------------------------------------|-------------------------------------------------|-----------|---------|---------------|
|                                                                                             |                                                 | Frequency | Percent | Valid Percent |
| Valid                                                                                       | Yes                                             | 349       | 90.9    | 100.0         |
|                                                                                             | No                                              | 35        | 9.1     |               |
|                                                                                             | Total                                           | 384       | 100.0   |               |
| Responsible person for the implementation of EMP in oil and gas projects in the Niger Delta |                                                 |           |         |               |
|                                                                                             |                                                 | Frequency | Percent | Valid Percent |
| Valid                                                                                       | Oil companies                                   | 281       | 73.2    | 73.2          |
|                                                                                             | The government                                  | 103       | 26.8    | 26.8          |
|                                                                                             | Total                                           | 384       | 100.0   | 100.0         |
| Duration associated with EMP implementation in oil and gas projects                         |                                                 |           |         |               |
|                                                                                             |                                                 | Frequency | Percent | Valid Percent |
| Valid                                                                                       | Below 2 years                                   | 38        | 9.9     | 9.9           |
|                                                                                             | 2-4 years                                       | 58        | 15.1    | 15.1          |
|                                                                                             | 4-6 years                                       | 68        | 17.7    | 17.7          |
|                                                                                             | 6-8 years                                       | 108       | 28.1    | 28.1          |
|                                                                                             | above 8 years                                   | 112       | 29.2    | 29.2          |
|                                                                                             | Total                                           | 384       | 100.0   | 100.0         |
| Level of participation in EMP implementation                                                |                                                 |           |         |               |
|                                                                                             |                                                 | Frequency | Percent | Valid Percent |
| Valid                                                                                       | NGO representative                              | 67        | 17.4    | 17.4          |
|                                                                                             | Government representative (DPR, NESREA and FME) | 38        | 9.9     | 9.9           |
|                                                                                             | Oil company (Proponent)                         | 77        | 20.1    | 20.1          |
|                                                                                             | EIA researcher/consultant                       | 67        | 17.4    | 17.4          |
|                                                                                             | Community representative                        | 135       | 35.2    | 35.2          |
| Total                                                                                       |                                                 | 384       | 100.0   | 100.0         |

(Source: Field work, 2017)

involvement with EMP is very crucial in their understanding of the issues and their identification of very important factors that could be deployed in the effectiveness of EMP. On the levels of participation in the EMP implementation process, findings showed various levels of participation by the respondents. As indicated (35%) participate as community representatives 20.1% as oil and gas company officials, 17.4% as researchers/consultants while 17.4% participate as NGOs or civil society groups and 9.9% participate as officials of government who are staff in the various departments and ministries who represent the regulators in the EMP practice. These group represent the various stakeholders in the EMP process as discussed earlier; the community as used here to include researchers/consultants, the NGOs and representatives of the project communities whose participation are considered as representing the interest of the ordinary people who could be affected by the activities of a project in very critical areas bothering on their survival and comfort. The regulator is represented by the government officials while the proponent is represented by the oil company officials. The respondents representing the major stakeholders of EMP suggests that they have adequate grasp of the issues and are suitable for this study.

### B. Results of PCA

Table 3  
PCA Variable codes

| Variables of EMP Implementation Activities  | Code |
|---------------------------------------------|------|
| Consideration of Monitoring in EMP          | CME  |
| Consideration of Indirect impacts in EMP    | CIE  |
| Consideration Cumulative Impacts in EMP     | CCI  |
| Evaluation and Management of Impacts in EMP | EMI  |
| Communication on Implementation             | COI  |
| Data Collection (Timing and Use)            | TUD  |
| Address of Mitigation Measures              | AMM  |
| Address of Long-Term Impacts Issues         | ATI  |
| Address of Cumulative Impacts Issue         | ACI  |
| Address of Monitoring Issues                | AMI  |
| Transparency in Decision Making process     | TDM  |
| Training of Community Members               | TCM  |
| Funds for Implementation                    | FFI  |
| Commitment to the Goals and Objectives      | CGO  |
| Transparency in Implementation Process      | TIP  |
| Link EMP to EMS                             | LEE  |
| Stakeholders involvement                    | STI  |

(Source: Field work, 2017)

The PCA involved extraction of 17 variables from responses in the questionnaire on important activities, their effectiveness and adequacy in the sustainability of the environment in the context of EMP in oil and gas as shown in Table 3. Correlation analysis was performed in order to determine the relationship between the variables, to examine the underline pattern in the responses. The result showed strong positive and negative correlation between the variables as indicated in Table 4 which is the correlation Matrix of the important implementation activities of EMP. Given the observed strong positive and negative correlation coefficients between the variables in the correlation matrix, the autocorrelation made it difficult to clearly explain how the variables relate and contribute to the effectiveness of EMP in the sustainability of the environment. To address this challenge, the raw data of the variables was subjected to PCA. This study proceeded by using the principal axis method to extract the components and was followed by a varimax (orthogonal) rotation. After the rotation, only the components with the Eigen values greater than one (1) were retained. Consequently, 5 components were retained and accounted for a cumulative percentage variance of 81.017%. Table 5, shows the variables and their corresponding component loadings. In order to interpret the pattern, a loading of 0.60 was used to indicate the significance of a variable that was loaded on a component. As such, a variable was said to load significantly when the factor loading is +/- 0.60 or above. On the bases of the significant loadings, Component I had seven (7) variables, Component II had 4 variables, 3 variables loaded significantly on Component III, 2 variables loaded on Component IV, while Component V is with one variable. Component I has an Eigen value of 5.642% and a percentage and cumulative percentage variance of 33.188%. The component load significantly and positively on seven variables. They are; address of mitigation measures in current EMP practice in projects within Niger Delta (0.913); address of long term impacts issue in current EMP practice in projects within Niger Delta (0.898); address of cumulative impacts issue in current EMP practice in projects within Niger Delta (0.729); address of monitoring issue in current EMP practice in projects within the Niger Delta (0.900); transparency in decision making process in current EMP practice in projects within Niger Delta

Table 4  
Correlation of EMP implementation activities

|     | CME   | CIE    | CCI   | EMI  | COI   | TUD    | AMM    | ATI   | ACI   | AMI   | TDM   | TCM   | FFI   | CGO   | TIP   | LEE   | ST I |
|-----|-------|--------|-------|------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| CME | 1     |        |       |      |       |        |        |       |       |       |       |       |       |       |       |       |      |
| CIE | .111  | 1      |       |      |       |        |        |       |       |       |       |       |       |       |       |       |      |
| CCI | .108  | .563   | 1     |      |       |        |        |       |       |       |       |       |       |       |       |       |      |
| EMI | .138  | .019   | -.107 | 1    |       |        |        |       |       |       |       |       |       |       |       |       |      |
| COI | .144  | .096   | .128  | .154 | 1     |        |        |       |       |       |       |       |       |       |       |       |      |
| TUD | .233  | .467   | .402  | .283 | .234  | 1      |        |       |       |       |       |       |       |       |       |       |      |
| AMM | .144  | -.212  | -.106 | .374 | .044  | -.189  | 1      |       |       |       |       |       |       |       |       |       |      |
| ATI | .009  | -.210  | -.047 | .224 | .047  | -.134  | .887*  | 1     |       |       |       |       |       |       |       |       |      |
| ACI | -.144 | .076   | -.095 | .355 | .104  | .075   | .605*  | .654* | 1     |       |       |       |       |       |       |       |      |
| AMI | -.021 | -.177  | -.002 | .285 | -.124 | -.182  | .923*  | .877* | .598  | 1     |       |       |       |       |       |       |      |
| TDM | .025  | -.200  | -.187 | .434 | .083  | -.039  | .825*  | .782* | .634* | .770* | 1     |       |       |       |       |       |      |
| TCM | .322  | -.063* | -.020 | .466 | .176  | -.601* | .841*  | .821* | .493  | .792* | .827* | 1     |       |       |       |       |      |
| FFI | .247  | -.269  | -.241 | .306 | .010  | -.309  | -.802* | .712* | .563  | .799* | .616* | .654* | 1     |       |       |       |      |
| CGO | .086  | -.305  | -.250 | .282 | .112  | -.288  | .514   | .519  | .456  | .532  | .502  | .530  | .664* | 1     |       |       |      |
| TIP | .182  | -.178  | -.140 | .215 | .116  | -.050  | .509   | .474  | .370  | .484  | .466  | .526  | .471  | .741* | 1     |       |      |
| LEE | .308  | .099   | .013  | .052 | .170  | -.142  | .568   | .611* | .460  | .523  | .548  | .644* | .545  | .638* | .648* | 1     |      |
| STI | -.011 | -.177  | -.046 | .068 | .101  | -.329  | .613*  | .625* | .294  | .586  | .453  | .596  | .564  | .624* | .472  | .719* | 1    |

\*Significant co-efficient @ 95% confidence level, (Source: Field Work, 2017)

Table 5  
Rotated component matrix

| Variables of EMP Implementation Activities  | Code | Rotated Component Matrix <sup>a</sup> |               |               |               |               |
|---------------------------------------------|------|---------------------------------------|---------------|---------------|---------------|---------------|
|                                             |      | 1                                     | 2             | 3             | 4             | 5             |
| Consideration of monitoring in EMP          | CME  | -.043                                 | .163          | .042          | *.913         | -.207         |
| Consideration of indirect impacts in EMP    | CIE  | -.143                                 | -.022         | *.852         | .115          | .010          |
| Consideration cumulative impacts in EMP     | CCI  | -.020                                 | -.010         | *.855         | -.192         | .007          |
| Evaluation and management of impacts in EMP | EMI  | .444                                  | -.101         | -.034         | *.627         | .317          |
| Communication on implementation             | COI  | -.008                                 | .173          | .093          | -.069         | *.913         |
| Data collection (timing and use)            | TUD  | -.021                                 | -.254         | *.614         | .400          | .377          |
| Address of mitigation measures              | AMM  | *.913                                 | .282          | -.098         | -.004         | -.028         |
| Address long term impacts issues            | ATI  | *.898                                 | .289          | -.040         | -.157         | .009          |
| Address of cumulative impacts issue         | ACI  | *.729                                 | .100          | -.044         | .070          | .227          |
| Address of monitoring issues                | AMI  | *.900                                 | .278          | -.023         | -.020         | -.206         |
| Transparency in decision making process     | TDM  | *.799                                 | .385          | .070          | .213          | .074          |
| Training of community members               | TCM  | *.722                                 | .390          | -.267         | .030          | -.074         |
| Funds for implementation                    | FFI  | .358                                  | *.755         | -.316         | .162          | .083          |
| Commitment to the goals and objectives      | CGO  | .274                                  | *.777         | -.116         | .294          | .112          |
| Transparency in implementation process      | TIP  | .413                                  | *.797         | .145          | -.107         | .062          |
| Link EMP to EMS                             | LEE  | .470                                  | *.672         | .002          | -.282         | -.003         |
| Stakeholders involvement                    | STI  | .829                                  | .206          | -.117         | .300          | .031          |
| <b>Eigen value</b>                          |      | <b>5.642</b>                          | <b>2.986</b>  | <b>2.084</b>  | <b>1.812</b>  | <b>1.249</b>  |
| <b>% of explained variance</b>              |      | <b>33.188</b>                         | <b>17.564</b> | <b>12.259</b> | <b>10.660</b> | <b>7.346</b>  |
| <b>Cumulative %</b>                         |      | <b>33.188</b>                         | <b>50.752</b> | <b>63.011</b> | <b>73.671</b> | <b>81.017</b> |

\*Significant loadings +/- 0.60, Source Field work (2017)

Table 6  
The relative strength of underline dimensions of EMP implementation activities

| Component Identification | Index of Component Activity                       | Component Defining Variable                     | Relative Contribution | Cumulative Contribution of components |
|--------------------------|---------------------------------------------------|-------------------------------------------------|-----------------------|---------------------------------------|
| I                        | Collective address of impacts by all stakeholders | Address of mitigation measures (0.913)          | 33.188%               | 33.188%                               |
| II                       | Commitment                                        | Transparency in the EMP implementation (0.797)  | 17.564%               | 50.752%                               |
| III                      | Importance of impact data                         | Consideration cumulative impacts EMP (0.855)    | 12.259%               | 63.011%                               |
| IV                       | Monitoring and Evaluation,                        | Monitoring in EMP (0.913)                       | 10.660%               | 73.671%                               |
| V                        | Information sharing                               | Communication on implementation process (0.829) | 7.346%                | 81.017%                               |

(Source: Field work, 2017)

(0.799). The loadings were also significant and positive on training of community members on issues of environmental sustainability in current EMP practice in projects within Niger Delta (0.722) and public stakeholder's involvement in current EMP practice in projects within Niger Delta (0.829). The components, their eigen values and variance explained are shown in rotated component matrix in Table 5.

Looking at the significant variables, they denote *collective address of impacts* by all stakeholders in EMP. The Component Defining Variable (CDV) is Address of mitigation measures with the highest loading of 0.913 on this component. Component II recorded an Eigen value of 2.986 and a percentage of explained variance of 17.564% making a total cumulative percentage variance of 50.752% with component I. It has significant loadings on adequacy of funds for implementing EMP (0.755); commitment of the stakeholders to the goals and objectives of EMP (0.777); transparency in the EMP implementation process (0.797) and provisions that link EMP to EMS (0.672). This component denotes *Commitment to the actualization of EMP*. The CDV for this is Transparency in the implementation process with the highest loading of 0.797. Component III with an Eigen value of 2.084 explained a percentage variance of 12.259% and together with component I and II explained a total cumulative percentage variance of

63.011%. This component loaded significantly and positively on three variables namely Consideration of indirect impacts of EMP (0.852); Consideration of cumulative impacts to sustainability within the context of EMP (0.855) and Consideration of the importance of timing and use of data collected in relation to the EMP to sustainability within the context of EMP (0.614). This component denotes *importance of impact data* on the effective implementation and sustainability of EMP. The CDV is Consideration of Cumulative impacts in EMP with the highest loading of 0.855 on this component. Component IV has an Eigen value of 1.812 and a percentage variance of 10.660%. Together with components I, II and III they explain a cumulative percentage variance of 73.671% in the whole data matrix. It loads significantly on two variables namely Consideration of monitoring to sustainability within the context of EMP (0.913) and Evaluation and management of impacts to sustainability within the context of EMP (0.627). This component is an index of *Monitoring and evaluation* which is very vital for effective implementation of EMP. The CDV is Consideration of monitoring in EMP (0.913). Component V with an Eigen Value of 1.249 accounts for a percentage variance of 7.346%. The component in addition to those before it recorded a cumulative percentage variance of 81.017%. It loaded significantly on one

component which is Communication on the implementation process to sustainability within the context of EMP. This component is an index of *information sharing* to all stakeholders and has a high positive loading of 0.913. The four identified uncorrelated combination of components together explains 81.017% of the total variance in the EMP implementation activities raw data matrix leaving only 18.983% unexplained. Table 6 shows the relative strength of the underlying dimensions of the EMP implementation activities as reflected by the component defining variables.

## 7. Discussion of Findings

As shown in the analysis, PCA has successfully reduced 17 original variables (EMP implementation activities) to 5 orthogonal components that clearly identified mitigation measures, commitment to actualization of EMP, importance of impact data, monitoring and evaluation and information sharing as critical factors that can guarantee at least 81% effective implementation of EMP for sustainable development in the oil and gas production region of the Niger delta. As indicated by the component defining variable, effective address of mitigation issues is essential in achieving effectiveness in EMP implementation. Mitigation is the core of EMP implementation because it leads the way to sustainable environment post consent. It refers to specific actions that are taken to avoid or minimize the impact of development on the environment. There is a consensus amongst researchers that economic needs which bring about development is many times satisfied at the expense of certain unavoidable environmental concerns (Finer et al. 2008; Benchimol and Peres 2015; Winemiller et al. 2016; Sahleya, Vildosob, Casarettob, Taborgab, Ledesmaa, Linares-Palomino, Mamanic, Dallmeierd and Alonsod, 2017). The assessment process leads to the identification of such concerns and the EMP is set to address them through mitigation. Implementation of mitigation measures is clearly presented in the EMP and tries to link every specific action to a particular impact. Usually, mitigation is based on the principle of avoidance which may include modification of project design or implementation processes that are adjusted in time and space to avoid the occurrence of specific impacts; minimization refers to actions that will reduce intensity or duration, and compensation which is the introduction of a balance by way of substitute to make available in another form or place what has been lost through the development process. These are applied in hierarchy; where avoidance is possible, it is adopted and where it is impossible, minimization is adopted and may proceed in that hierarchy to compensation where certain measures are taken to compensate for unavoidable environmental impact. This mitigation hierarchy has been recognized by Sahleya et al, (2017) to support biodiversity management in oil and gas projects. These actions support the protection of the environment and to ensure its continuous existence and performance which has been recognized as fundamental to environmental sustainability. Without effectively addressing mitigation issues, the EMP will not achieve its purpose and will not be effective in the sustainability of the region. This will have significant implication on human and natural environment since

the environmental impact of oil production activities will not be controlled.

The consideration of transparency in the implementation process ensures that all parties are committed and carried along and the environmental issues are addressed in such a manner that is acceptable to all described as democratic (Wachi, 2016). Transparency also provides opportunity for all perspectives to be explored and considered so that every detail is addressed during implementation. It is significant in addressing social impact as much as the environmental impact. Without transparency in the implementation process, critical stakeholders will not be committed and able to offer important contributions to the success of the implementation. This will result to the failure of the EMP to achieve effectiveness.

Data collection is thus very essential component of monitoring, gathering data helps to determine the occurrence and extent of impact. Monitoring itself is simply defined as repetitive collection of data to establish a pattern (Mak'Oniare, 2012; Ahamed 2007). As emphasized by Chang, Wenqi, Jing, Sun and Rong (2018) in China, monitoring is essential for the success of EMP. The environment is a complex system such that it cannot be completely predicted. Yet, EMP which carries on with the application of mitigation measures relies on the accuracy of the predications during the assessment. According Georgeades (2015) mitigation measures themselves are capable of triggering changes within the environment. Sometimes, the impacts of one project may trigger change in the environment. In this regard, it is very necessary that the environment is monitored during the EMP implementation to determine the performance of the environment as it responds to the change chain. Mak'Oniare (2012) has identified 3 types of monitoring that happens during EMP implementation. They include; compliance monitoring; impact monitoring and baseline monitoring. Impact monitoring is critical to check for such cumulative and indirect impacts that may occur during the implementation of the project. The indication of this variable as the component defining variable emphasizes the importance of monitoring for effectiveness of EMP in the oil and gas production landscape of the Niger Delta.

Arts et al (2001) emphasize the importance of communication in the implementation of EMP. Communication is the tool used to inform stakeholders about the performance of the environment during implementation of EMP (Bennett et al, 2015). In a study in UK on the perception of Stakeholders on the use of EMP as an environmental management tool, Bennett et al (2015), reported a lack of knowledge about the effectiveness of EMP amongst stakeholder due lack of communication. Wachi (2016) collaborates that communication is very necessary in the attainment of effectiveness in stakeholder engagement in the design and implementation of EMP. Effective stakeholder engagement in itself is crucial to the effectiveness of EMP, communication as such must be effective for this to be achieved.

## 8. Conclusion

The Niger Delta region of Nigeria is vulnerable to the

impacts of oil and gas production activities which have been going on since 1958. The experience of adverse impacts of oil production activities is associated with an improper mix of EMP tools applied in compliance with EIA regulations in the sector. Without a proper understanding and address of the issues, environmental impacts have continued unabated, rendering the mandatory requirement and the intentions to use EMP to mitigate the impacts ineffective. The critical factors identified in this study constituted a proper mix to addressing the effectiveness of EMP and changing the current situation in the region. They make clearer, which specific EMP activities are significant in the achievement of sustainability in the context of oil and gas projects in the Niger Delta region of Nigeria. Thus this findings opens new insights in EMP practice in oil gas projects in Niger Delta. Future EMP implementation must therefore take these activities into consideration for the achievement of sustainability in the region.

## References

- [1] Akpan, U. Ejoh, E and Okafor, P. (2017, June, 6<sup>th</sup>) Vanguard Newspaper retrieved from <https://www.vanguardngr.com/2017/06/cleanup-oil-producing-areas-cost-50-billion>
- [2] Arts, J., Caldwell, P. and Morrison-Saunders, A. (2001): "Environmental impact assessment follow-up: good practice and future directions—findings from a workshop at the IAIA 2000 conference" *Impact Assessment Project Appraisal* 2001; Vol. 19, No. 4, pp. 175–85
- [3] Benchimol M, Peres C.A. (2015) Widespread Forest Vertebrate Extinctions Induced by a Mega Hydroelectric Dam in Lowland Amazonia. *PLoS ONE* 10(7): e0129818.
- [4] Bennett, S. Kemp S Hudson M. D. (2016) Stakeholder Perceptions of Environmental Management Plans as An Environmental Protection Tool for Major Developments in the UK. *Environmental Impact Assessment Review*, Vol. 56, pp. 60-71.
- [5] Boris, O. H. (2015): "The Upsurge of Oil Theft and Illegal Bunkering in the Niger Delta Region of Nigeria: Is There a Way Out?" *Mediterranean Journal of Social Sciences* Vol. 6, No. 3S2, pp. 563-573.
- [6] Booth, K. L. (1991): *Methods for Conducting an On-Site Visitor Questionnaire Survey*, Science & Research. Department of Conservation New Zealand. Internal report No.102.
- [7] Cashmore, M., Richardson, T., Hilding-Ryedvik, T., and Emmelin, L. (2010): "Evaluating the Effectiveness of Impact Assessment Instruments: Theorising the Nature and Implications of their Political Constitution" *Environmental Impact Assessment Review*, Vol. 30, No. 6, pp. 371–379.
- [8] Cashmore, M., Gwilliam, R., Morgan, R., Cobb, D., and Bond, A. (2004): "The Interminable Issue of Effectiveness: Substantive Purposes, Outcomes and Research Challenges in the Advancement of Environmental Impact Assessment Theory" *Impact Assessment and Project Appraisal*, Vol. 22, No. 4, pp. 295–310.
- [9] Chanchitpricha, C. and Bond, A. (2013): "Conceptualising the Effectiveness of Impact Assessment Processes" *Environmental Impact Assessment Review*, Vol. 43, pp. 65–72.
- [10] Chang I, Wenqi, W. Jing, W, Sun, Y. and Rong, H. (2018) Environmental impact assessment follow-up for projects in China: Institution and practice. *Environmental Impact Assessment Review*, Vol. 73, pp. 7- 19.
- [11] De Groot, R., Stuij, M., Finlayson, M. and Davidson, N. (2006): *Valuing wetlands: Guidance for valuing the benefits derived from wetland ecosystem services (No. CBD Technical Series No. 27.)*. Ramsar Technical Report No. 3, CBD Technical Series No. 27.
- [12] Ejibunu, H. T. (2007): *Nigeria's Niger Delta Crisis: Root and Causes of Peacelessness*. EPU Research Papers. Retrieved from [www.aspr.ac.at/epu/research/rp\\_0707.pdf](http://www.aspr.ac.at/epu/research/rp_0707.pdf) on 22/02/16
- [13] Finer, M., Jenkins, C.N., Pimm, S.L., Keane, B., Ross, C. (2008). Oil and gas projects in the Western Amazon: threats to wilderness, biodiversity, and indigenous peoples.
- [14] Fischer, T. B. And Nadeem, O. (2013). Environmental Impact Assessment (EIA) Curriculum for Higher Education Institutions in Pakistan, IUCN, Pakistan, <http://www.niap.pk/docs/Knowledge%20Repository/Reports/Draft%20EIA%20Curriculum%20for%20Tertiary%20Level%20Institutions%20in%20Pakistan.pdf>
- [15] Georgeades, M. (2012): *Environmental Impact Assessment Follow-Up in Selected Cape Town Case Studies as An Indicator of Effectiveness*. M.Sc. Dissertation, Department of Environmental and Geographical Science, Faculty of Science, University of Cape Town, South Africa. Accessed online on 16/01/16
- [16] Harmer, C. (2005): *Is Improving the Effectiveness of EIA in the UK Dependant on the Use of Followup?*, Masters Dissertation, Norwich: University of East Anglia.
- [17] Heller, F. (2003): "Participation and Power: A critical Assessment" *International Association*.
- [18] Hemba, S. (2012): *The impact of Urban Growth and Expansion on Wetland Distribution in Makurdi Town 1976-2006*. Unpublished M.Sc. Dissertation, Benue State University, Makurdi.
- [19] Hemba, S. Iortyom, E.T. And Adelabu, O.A. (2017): Wetland Loss in Makurdi Town and Its Environs in North Central Nigeria: Implication for Gender. *Journal of Human Ecology (Delhi, India)* Vol. 60, No. 2-3 pp. 72-79.
- [20] Cashmore, M. Richardson, T. Hilding-Ryedvik, T. Emmelin. L. (2010) Evaluating the effectiveness of impact assessment instruments: Theorising the nature and implications of their political constitution *Environmental Impact Assessment Review*, 30(6), pp. 371-379 4
- [21] Idiege, D.A. (2017): Politics of Energy Exploitation and Environmental Degradation in the Niger- Delta Region of Nigeria. *Journal of Pollution Effects & Control* Volume 5, No. 2, 100019.
- [22] Ingelson, A. and Nwapi, C. (2014): "Environmental Impact Assessment Process for Oil, Gas and Mining Projects in Nigeria: A Critical Analysis" *10/1 Law, Environment and Development Journal*, p. 35.
- [23] Iniaghe, P. O., Tesi, G.O. and Iniaghe, P.O. (2013): "Environmental Degradation and Sustainable Development in Nigeria's Niger Delta Region" *Journal of Sustainable Development in Africa*. Vol. 15, No.3, pp. 61-78.
- [24] Isah, A.M. (2012): *The Role of Environmental Impact Assessment in Nigeria's Oil and Gas Industry*. PhD Thesis, Cardiff University School of Earth and Ocean Sciences, United Kingdom. Accessed online 06/06/15
- [25] Jiricka, A. Formayer, A. Schmidt, A. Völler, S. Leitner, M. Fischer, T.B., Wachter, T. F (2016): "Consideration of climate change impacts and adaptation in EIA practice Perspectives of actors in Austria and Germany" *Environmental Impact Assessment Review*, Vol. 57, pp. 78-88
- [26] Kolhoff, Aj, Hens A.C. Runhaar, H. A. C. and Driessen, P.P. J (2009) The contribution of capacities and context to EIA system performance and effectiveness in developing countries: towards a better understanding. *Impact Assessment and Project Appraisal*, Vol. 27, No. 4.
- [27] Kadafa, A. A. (2012): "Environmental Impacts of Oil Exploration and Exploitation in the Niger Delta of Nigeria" *Global Journal of Science Environment & Earth Sciences*, Vol. 12, No. 3, pp. 19-28.
- [28] Mak'oniare, O. (2012): *Assessment Implementation and Follow-Up in Nyeri County, Kenya*. Masters Research Project Report, University of Nairobi, Kenya.
- [29] Nieslony, C. (2004): "An Evaluation of the Effectiveness of Environmental Impact Assessment In Promoting Sustainable Development (Case Study Germany)" M.Sc. Thesis University of East Anglia.
- [30] Niger Delta Development Commission Establishment ACT (NDDC) 2000. Noble, B. And Storey, K. (2005): "Towards increasing the utility of follow-up in Canadian EIA". *Environmental Impact Assessment Review*, Vol. 25, pp. 163-180.
- [31] Norusis M.J. (2012) IBM SPSS Statistics 19 Statitical Procedures Companion. Upper Saddle River, Prentice Hall.
- [32] Odjugo P.A.O. (2011). Climate change and global warming: The Nigerian experience, *Journal of Sustainable Development and Environmental Protection*, Vol. 1, No. 1.
- [33] Okafor, O. (2011): *The State of Environmental Monitoring in Nigeria and Ways to improve it: Case Study of Niger Delta*. M.Sc. Thesis, Wageningen University.
- [34] Oshwofasa, B. O., Anuya, D. E. and Aiyedogbon, J. O. (2012): "Environmental Degradation and Oil Industry Activities in the Niger-Delta Region". *African Journal of Scientific Research*, Vol. 9, No. 1, pp. 444-460.
- [35] Osuji, C. C. And Onojake, C. M. (2004): "Trace Heavy Metals Associated with Crude Oil. A Case Study of Ebocha-8 Oil-Spill-Polluted Site in Niger Delta, Nigeria". *Chemistry and Biodiversity*, Vol. 1, No. 2, pp. 1708 -1715.

- [36] Daniel, E., Ekpe, N., Okurebia, S. (2014). Sustainable Development and Utilization of the Red/Brown Earth (Laterite) in South-Eastern Nigeria. *Caribbean Journal of Science & Technology*, Vol. 2, pp. 464-470.
- [37] Odukoya, A. O. (2006): "Oil and Sustainable Development in Nigeria: A Case of Study the Niger Delta" *Kamla-Raj Journal of Human Ecology*, Vol. 20, No. 4, pp. 249-258.
- [38] Ogunba, O.A., 2004. EIA systems in Nigeria, evolution, current practice and shortcomings. *Environmental Impact Assessment Review*, 24, 643e660.
- [39] Paliwal, R. (2006): "EIA Practice in India and its Evaluation using SWOT Analysis" *Environmental Impact Assessment Review*, Vol. 26, No. 5, pp. 492-510.
- [40] Phil-Eze, P. O., Okoro, I. C. (2009) Sustainable biodiversity conservation in the Niger Delta: A practical approach to conservation site selection *Biodivers Conservation*, Vol. 18, No. 5, pp. 1247-1257.
- [41] Pasini, G. (2017): Principal Component Analysis for Stock Portfolio Management. *International Journal of Pure and Applied Mathematics* Vol. 115, No. 1, pp. 153-167.
- [42] P Raji, A.O. Y and Abejide, T. S. (2013): "An Assessment of Environmental Problems Associated with Oil Pollution and Gas Flaring in the Niger Delta Region Nigeria C.1960s-2000" *Arabian Journal of Business and Management Review (OMAN Chapter)* Vol. 3, No. 3, pp. 48-62.
- [43] Ramjeawon, T. and Beedassy, R. (2004): "Evaluation of The EIA System on The Island of Mauritius and Development of an Environmental Monitoring Plan Framework" *Impact Assessment Review*, Vol. 24, pp. 537-549.
- [44] Rea, A., Rea, W., (2016). How Many Components Should Be Retained from a Multivariate Time Series PCA?, 1610.03588.
- [45] Sahleya, Vildosob, Casarettob, Taborgab, Ledesmaa, Linares Palominoa, Mamanic, Dallmeierd and Alonsod (2017). Quantifying impact reduction due to avoidance, minimization and restoration for a natural gas pipeline in the Peruvian Andes. *Environmental Impact Assessment Review*, vol. 66, pp. 53–65.
- [46] Shakil, S. H. And Ananya, T. H. (2015): "Effectiveness of Environmental Impact Assessment (EIA): Bangladesh Perspective". *Bangladesh e-Journal of Sociology*, Vol. 12, No. 1, pp. 115-125.
- [47] Snapps, O. J. (2011). Special issue on "Africa-based oil exporting companies: The case of Nigeria." *American Review of Political Economy*, 9, 1-56.
- [48] Aghalino, S.O. (2010), Resource control and the problem of the Niger Delta region of Nigeria. In: Adam, K., Peter, M.J., editors. *Human Views of God: Variety not Monotony*. Kenya: Moi University Press. pp. 263-271.
- [49] Singh, V.B, Kushwah, S. Singh, S. and Daipuria, O.P. (2015). Factor Affecting the Participation of Rural Women in Agricultural Activities. *Indian Research Journal of Extension Education*, Vol. 15, No. 1.
- [50] SPDC 2004; Shell Petroleum Development Company of Nigeria Limited, (2004): *Accompanying Guidelines for SPDC EIA Process: Stakeholders Identification and Involvement*, Nigeria.
- [51] UNEP (2011), United Nations Environment Programme (2011): *Environmental Assessment of Ogoni Land*. Available on Web: <http://www.unep.org>
- [52] Winemiller, K.O., et al., (2016). Balancing hydropower and biodiversity in the Amazon, Congo, and Mekong. *Science*, Vol. 351, pp. 128–129.
- [53] Wachi, D. (2016): *Assessing the Scope and Effectiveness of Stakeholder Engagement in The Development and Implementation of The Environmental Management Plan for The Berg Water Project in The Western Cape Province, South Africa*. M.Phil. Dissertation, Department of Environmental and Geographical Science, University of Cape Town.
- [54] Youdeowei, P. O. and Nwankwoala, H. O. (2013): "Suitability of soils as bearing media at a freshwater swamp terrain in the Niger Delta". *Journal of Geology and Mining Research*. Vol. 5, No. 3, pp. 58-64.